Extract from Hansard

[ASSEMBLY — Tuesday, 11 August 2015] p5090b-5090b Mr Dave Kelly; Ms Andrea Mitchell

DISABILITY JUSTICE CENTRE — CAVERSHAM

4117. Mr D.J. Kelly to the Parliamentary Secretary representing the Minister for Disability Services:

I refer to the new Disability Justice Centre under construction in Lord Street, Caversham and I ask:

- (a) how high is the external fencing surrounding the centre;
- (b) what material is the external fencing made up of;
- (c) to what standard is the external fencing being built to;
- (d) have the plans for the external fencing changed since the Lord Street Disability Justice Centre was initially designed; and
- (e) if the plans for the external fencing have changed, how have they changed?

Ms A.R. Mitchell replied:

- (a) The external fence is 3000mm high. Fence heights will vary marginally due to undulating ground however the above-mentioned height is the minimum height.
- (b) The external fence is a chain-link mesh coated in plastic covering.
- (c) The external fence complies with Australian Standard 1725 2003, specifically AS 1725.1-2010.
- (d) Yes

In the design schematics for the Disability Justice Centre as at August 2013 the external security fence diagram displayed a staggered/stepped top rail. The current fence has been installed to have a continuous flow top rail. This change was made following advice from the installer